	Application No. Applicant(s)			
Notice of Allowability	09/900,743	TAI ET AL.	TAI ET AL.	
	Examiner	Art Unit	, ,	
	Alandra N Ellington	2855	Jan 1	
The MAILING DATE of this communication app All-claims being-allowable, PROSECUTION ON THE MERITS. I herewith (or previously mailed), a Notice of Allowance (PTOL-88 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	S (OR REMAINS).CLOSED in 1 5) or other appropriate commur RIGHTS. This application is su	this application. It not include nication will be mailed in due	ea course. THIS	
1. \boxtimes This communication is responsive to <u>amendment filed or</u>	<u>1 2/25/04</u> .			
2. The allowed claim(s) is/are <u>10-14,33-46 and 60-67</u> .				
3. \square The drawings filed on $___$ are accepted by the Examir	ner.			
4. ☐ Acknowledgment is made of a claim for foreign priority a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents had 2. ☐ Certified copies of the priority documents had 3. ☐ Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)). * Certified copies not received: ☐ Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be subtined in the priority of the complex of the priority of the priority of the priority of the complex of the priority	we been received. We been received in Application documents have been received. E" of this communication to file NMENT of this application. Domitted. Note the attached EXA pives reason(s) why the oath or nust be submitted. Berson's Patent Drawing Review.	in No In this national stage application this national stage application are ply complying with the result. MINER'S AMENDMENT or Note that the declaration is deficient.	equirements	
(b) including changes required by the attached Examin Paper No./Mail Date 5/7/03.	er's Amendment / Comment or	in the Office action of		
Identifying indicia such as the application number (see 37 CFI each sheet. Replacement sheet(s) should be labeled as such i	R 1.84(c)) should be written on th n the header according to 37 CF	ne drawings in the front (not th R 1.121(d).	e back) of	
7. DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMEN	posit of BIOLOGICAL MATE	ERIAL must be submitted.	Note the	
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-94) 3. Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Depos of Biological Material	8) 6. ☐ Interview St Paper No./ B/08), 7. ☒ Examiner's	formal Patent Application (PT ummary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for Al		

Application/Control Number: 09/900,743

Art Unit: 2855

EXAMINER'S AMENDMENT

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Scott Harris on 4/16/04.
- 3. The application has been amended as follows:
 - 28. A device as in claim <u>10</u>, wherein said strain sensitive resistors have a size less than one third of a radius of said diaphragm.

Drawings

In order to avoid abandonment, the drawing informalities noted on page 2 in Office Action mailed on 5/7/03, must now be corrected. Correction can only be effected in the manner set forth in the above noted paper.

Allowable Subject Matter

4. Claims 10-14, 33-46 and 60-67 are allowed.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alandra N Ellington whose telephone number is (571) 272-2178. The examiner can normally be reached on Monday - Friday, 7:30am - 4:00pm.

Application/Control Number: 09/900,743

Art Unit: 2855

- 6. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Lefkowitz can be reached on (571) 272-2180. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.
- 7. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Alandra Ellington Art Unit 2855

ane

EDWARD LEFKOVITZ
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800